

ATOM Series | Battery or Line Voltage Powered 4 to 8 Buttons Wall Switch



PRODUCT DESCRIPTION

The ATOM Wireless Wall-mount Switch is designed to replace traditional in-wall switch with modern wireless technologies. It is capable of providing multi-functions and allow wirelessly control lighting devices in various platforms. This is a must have components to excel user experiences in the wireless environment.

KEY FEATURES

- Best low power load support, no bypass part or low power light adapter required
- Default local circuit operate and do not require system control
- BT 5.0 compatible Casambi BT 5.0 Mesh
- Power failure memory to return to its previous set level prior to the interruption of power
- Compatible to designer style wall-plates or standard off-the-shelf wall plates
- Fit in 1-gang U.S. wall-box ; 2 1/2" minimum depth recommended
- Neutral with required design make installation easier.
- Available color - white



STANDARD OR NON NEUTRAL



BATTERY VERSION



MARKINGS



Silk Screen Print




Laser Engraving

SPECIFICATIONS


COMPATIBILITY :	Casambi ; BT 5.0
INPUT :	110 ~ 277VAC/47-63Hz
RELAY SWITCHING CAPABILITY :	5A/120VAC; 3A/277VAC - Optional
OPERATING ENVIRONMENT :	0 - 50 Deg. C
RADIO PROPERTIES :	BT 5.0 2.4GHz
INTERNAL ANTENNA :	Built-in
CONTROLS :	2 to 8 buttons for on/off; dim; scene selection
DIMENSIONS :	44.40 x 33.20 x 105mm (L x W x H)
WARRANTY :	5 Year

AVAILABLE PLATE COLOR



- A1 Dark Chocolate
- A2 Warm Caramel
- A3 Moon Rock
- A4 Silver Gray
- A5 Pebble Gray
- A6 Off-White




STANDARD ARRANGEMENT FOR TEXT AND ICON



WIRING DIAGRAMS



OUTLET, SWITCHES AND PLATE DIMENSIONS



THREE-DIMENSIONAL DEPTH

