





### SPECIFICATIONS

- **FINISH:** Finishes include satin brushed, anodized or painted. Please consult factory for special finishing colors and fixture matching options. When storing light poles outside, remove all protective wrapping immediately upon delivery to prevent finish damage.
- **HAND HOLE:** A covered hand hole with hardware and grounding provision are provided.
- **ANCHOR BOLTS:** Anchor bolts conform to ASTM F1554 Grade 55 and are provided with two hex nuts and two flat washers. Bolts have an "L" bend on one end and are galvanized a minimum of 12" on the threaded end.
- **BASE COVER:** The anchor base is cast from 356 alloy aluminum and supplied with nut covers. The completed pole assembly is heat-treated to a T6 temper. Optional spun collar, square cast and decorative base covers available as special order.
- **POLE LENGTH:** The pole shaft is extruded and spun from seamless alloy aluminum. Davit arms are conically tapered from seamless alloy aluminum to 2.38" OD at the luminaire end. Davit arm members have a 3' bend radius and a 6'-6" rise. Arm connection allows arm to be erected and held in place by gravity and secured by two stainless steel through bolts.
- **SURFACE TREATMENT:** All structural and non-structural fasteners are stainless steel.
- Single source manufacturing to ensure poles, bases, arms, and fixtures fit together and ship complete
- Designed, engineered, and manufactured in Wisconsin, USA
- Performance coatings and custom color matching of RAL codes and architectural colors
- Custom products, configurations, options, and accessories available
- Meets Buy American and BABA standards





# JVA-RTAAD ROUND TAPERED ALUMINUM ANCHOR BASE W/ DAVIT ARM

## PERFORMANCE DATA

| Base Model                       | 80mph w/ 1.3 Gust |                 | 90mph w/ 1.3 Gust |                 | 100mph w/ 1.3 Gust |                 | 110mph w/ 1.3 Gust |                 |
|----------------------------------|-------------------|-----------------|-------------------|-----------------|--------------------|-----------------|--------------------|-----------------|
|                                  | Max EPA (sq ft)   | Max Weight (lb) | Max EPA (sq ft)   | Max Weight (lb) | Max EPA (sq ft)    | Max Weight (lb) | Max EPA (sq ft)    | Max Weight (lb) |
| JVA-RTAAD-S4-20-60-40-156-AB-FP  | 6                 | 75              | 6                 | 75              | 5.4                | 75              | 4                  | 75              |
| JVA-RTAAD-S6-20-60-40-156-AB-FP  | 6                 | 75              | 6                 | 75              | 4.7                | 75              | 3.4                | 75              |
| JVA-RTAAD-S8-20-60-40-156-AB-FP  | 6                 | 75              | 5.6               | 75              | 3.9                | 75              | 2.7                | 75              |
| JVA-RTAAD-S8-20-60-40-188-AB-FP  | 6                 | 75              | 6                 | 75              | 5.5                | 75              | 4                  | 75              |
| JVA-RTAAD-S4-25-60-40-156-AB-FP  | 5.8               | 75              | 3.9               | 75              | 2.5                | 75              | 1.6                | 75              |
| JVA-RTAAD-S4-25-70-40-156-AB-FP  | 6                 | 75              | 6                 | 75              | 5.1                | 75              | 3.7                | 75              |
| JVA-RTAAD-S6-25-60-40-156-AB-FP  | 5.2               | 75              | 3.3               | 75              | 2                  | 75              | 1.1                | 75              |
| JVA-RTAAD-S6-25-70-40-156-AB-FP  | 6                 | 75              | 6                 | 75              | 4.5                | 75              | 3.2                | 75              |
| JVA-RTAAD-S8-25-60-40-156-AB-FP  | 4.5               | 75              | 2.6               | 75              | 1.4                | 75              | N/A                | N/A             |
| JVA-RTAAD-S10-25-60-40-156-AB-FP | 3.8               | 75              | 2.1               | 75              | 0.9                | 75              | N/A                | N/A             |
| JVA-RTAAD-S10-25-70-40-156-AB-FP | 6                 | 75              | 4.9               | 75              | 3.2                | 75              | 2                  | 75              |
| JVA-RTAAD-S10-25-80-45-156-AB-FP | 6                 | 75              | 6                 | 75              | 5.7                | 75              | 4                  | 75              |
| JVA-RTAAD-S4-30-60-40-156-AB-FP  | 2.8               | 75              | 1.3               | 75              | N/A                | N/A             | N/A                | N/A             |
| JVA-RTAAD-S4-30-70-40-156-AB-FP  | 6                 | 75              | 3.9               | 75              | 2.5                | 75              | 1.5                | 75              |
| JVA-RTAAD-S4-30-80-45-156-AB-FP  | 6                 | 75              | 6                 | 75              | 4.9                | 75              | 3.5                | 75              |
| JVA-RTAAD-S6-30-60-40-156-AB-FP  | 2.3               | 75              | 0.8               | 75              | N/A                | N/A             | N/A                | N/A             |
| JVA-RTAAD-S6-30-70-40-156-AB-FP  | 5.4               | 75              | 3.4               | 75              | 2                  | 75              | 1                  | 75              |
| JVA-RTAAD-S6-30-80-45-156-AB-FP  | 6                 | 75              | 6                 | 75              | 4.4                | 75              | 2.9                | 75              |
| JVA-RTAAD-S8-30-60-40-156-AB-FP  | 1.6               | 75              | N/A               | N/A             | N/A                | N/A             | N/A                | N/A             |
| JVA-RTAAD-S8-30-70-40-156-AB-FP  | 4.7               | 75              | 2.8               | 75              | 1.4                | 75              | N/A                | N/A             |
| JVA-RTAAD-S8-30-80-45-156-AB-FP  | 6                 | 75              | 5.5               | 75              | 3.7                | 75              | 2.3                | 75              |
| JVA-RTAAD-S8-30-80-45-188-AB-FP  | 6                 | 75              | 6                 | 75              | 5.5                | 75              | 3.8                | 75              |
| JVA-RTAAD-S10-30-70-40-156-AB-FP | 4.1               | 75              | 2.2               | 75              | 1                  | 75              | N/A                | N/A             |
| JVA-RTAAD-S10-30-80-45-156-AB-FP | 6                 | 75              | 4.8               | 75              | 3.1                | 75              | 1.8                | 75              |
| JVA-RTAAD-S10-30-80-45-188-AB-FP | 6                 | 75              | 6                 | 75              | 4.8                | 75              | 3.2                | 75              |
| JVA-RTAAD-S4-35-70-40-156-AB-FP  | 3                 | 75              | 1.4               | 75              | N/A                | N/A             | N/A                | N/A             |
| JVA-RTAAD-S4-35-80-45-156-AB-FP  | 6                 | 75              | 3.9               | 75              | 2.5                | 75              | 1.4                | 75              |
| JVA-RTAAD-S4-35-80-45-188-AB-FP  | 6                 | 75              | 5.8               | 75              | 4                  | 75              | 2.6                | 75              |
| JVA-RTAAD-S4-35-80-45-250-AB-FP  | 6                 | 75              | 6                 | 75              | 6                  | 75              | 5.1                | 75              |
| JVA-RTAAD-S6-35-70-40-156-AB-FP  | 2.5               | 75              | 1                 | 75              | N/A                | N/A             | N/A                | N/A             |
| JVA-RTAAD-S6-35-80-45-156-AB-FP  | 5.5               | 75              | 3.4               | 75              | 2                  | 75              | 0.9                | 75              |
| JVA-RTAAD-S6-35-80-45-188-AB-FP  | 6                 | 75              | 5.3               | 75              | 3.5                | 75              | 2.2                | 75              |
| JVA-RTAAD-S6-35-80-45-250-AB-FP  | 6                 | 75              | 6                 | 75              | 6                  | 75              | 4.6                | 75              |
| JVA-RTAAD-S8-35-70-40-156-AB-FP  | 1.9               | 75              | N/A               | N/A             | N/A                | N/A             | N/A                | N/A             |
| JVA-RTAAD-S8-35-80-45-156-AB-FP  | 4.8               | 75              | 2.8               | 75              | 1.4                | 75              | N/A                | N/A             |
| JVA-RTAAD-S8-35-80-45-188-AB-FP  | 6                 | 75              | 4.6               | 75              | 2.9                | 75              | 1.6                | 75              |
| JVA-RTAAD-S8-35-80-45-250-AB-FP  | 6                 | 75              | 6                 | 75              | 5.7                | 75              | 3.9                | 75              |
| JVA-RTAAD-S10-35-80-45-156-AB-FP | 4.2               | 75              | 2.3               | 75              | 0.9                | 75              | N/A                | N/A             |
| JVA-RTAAD-S10-35-80-45-188-AB-FP | 6                 | 75              | 4                 | 75              | 2.4                | 75              | 1.1                | 75              |
| JVA-RTAAD-S10-35-80-45-250-AB-FP | 6                 | 75              | 6                 | 75              | 5.2                | 75              | 3.4                | 75              |
| JVA-RTAAD-S4-40-80-45-156-AB-FP  | 3.1               | 75              | 1.5               | 75              | N/A                | N/A             | N/A                | N/A             |
| JVA-RTAAD-S4-40-80-45-188-AB-FP  | 5.1               | 75              | 3.1               | 75              | 1.8                | 75              | 0.7                | 75              |
| JVA-RTAAD-S4-40-80-45-250-AB-FP  | 6                 | 75              | 6                 | 75              | 4.3                | 75              | 2.8                | 75              |
| JVA-RTAAD-S6-40-80-45-156-AB-FP  | 2.6               | 75              | 1.1               | 75              | N/A                | N/A             | N/A                | N/A             |
| JVA-RTAAD-S6-40-80-45-188-AB-FP  | 4.6               | 75              | 2.7               | 75              | 1.3                | 75              | N/A                | N/A             |
| JVA-RTAAD-S6-40-80-45-250-AB-FP  | 6                 | 75              | 5.7               | 75              | 3.8                | 75              | 2.3                | 75              |
| JVA-RTAAD-S8-40-80-45-156-AB-FP  | 2                 | 75              | N/A               | N/A             | N/A                | N/A             | N/A                | N/A             |
| JVA-RTAAD-S8-40-80-45-188-AB-FP  | 4                 | 75              | 2.1               | 75              | 0.7                | 75              | N/A                | N/A             |
| JVA-RTAAD-S8-40-80-45-250-AB-FP  | 6                 | 75              | 5.1               | 75              | 3.2                | 75              | 1.8                | 75              |
| JVA-RTAAD-S8-40-10-60-188-AB-FP  | 6                 | 75              | 6                 | 75              | 4.6                | 75              | 2.7                | 75              |
| JVA-RTAAD-S10-40-80-45-156-AB-FP | 1.5               | 75              | N/A               | N/A             | N/A                | N/A             | N/A                | N/A             |
| JVA-RTAAD-S10-40-80-45-188-AB-FP | 3.5               | 75              | 1.6               | 75              | N/A                | N/A             | N/A                | N/A             |
| JVA-RTAAD-S10-40-80-45-250-AB-FP | 6                 | 75              | 4.5               | 75              | 2.7                | 75              | 1.3                | 75              |
| JVA-RTAAD-S10-40-10-60-188-AB-FP | 6                 | 75              | 6                 | 75              | 4                  | 75              | 2.1                | 75              |

1. The total combined EPA and weight of all fixtures, brackets, and other attachments mounting to a light pole cannot exceed the EPA and weight rating for a specified pole.
  2. Standard EPA (Effective Projected Area) and weight values are based around standard commercial criteria (with 1.3 second gust factor) and AASHTO standards. Specific light pole design standards are available from factory.
  3. Custom products, configurations, options, and accessories available from factory.
  4. Satisfactory performance of light poles is dependent upon the structure being properly attached to a supporting foundation of adequate design.
- "+" indicates a vibration dampener is standard.




Miami, FL USA - info@jademar.com  
T: 305.640.0465 - F: 305.640.0468  
**WWW.JADEMAR.COM**



Information contained herein is subject to change without notice.

Revised 04/2025

Page 2 of 4



# JVA-RTAAD ROUND TAPERED ALUMINUM ANCHOR BASE W/ DAVIT ARM

## PERFORMANCE DATA

| Base Model                       | Pole Dimensions         |            |             |              |                 |                        | Base Plate                |                      | Anchor Bolts             |                 |
|----------------------------------|-------------------------|------------|-------------|--------------|-----------------|------------------------|---------------------------|----------------------|--------------------------|-----------------|
|                                  | Nominal Mounting Height | Arm Length | Top OD (in) | Base OD (in) | Wall Thick (in) | Structural Weight (lb) | Bolt Circle Diameter (in) | Sq (in) x Thick (in) | Dia x Length x Hook (in) | Projection (in) |
| JVA-RTAAD-S4-20-60-40-156-AB-FP  | 20'-0"                  | 4'-0"      | 4           | 6            | 0.156           | 100                    | 8.75 - 10.25              | 10.32 x 0.63         | 0.75 x 17.00 x 3.00      | 3.5             |
| JVA-RTAAD-S6-20-60-40-156-AB-FP  | 20'-0"                  | 6'-0"      | 4           | 6            | 0.156           | 104                    | 8.75 - 10.25              | 10.32 x 0.63         | 0.75 x 17.00 x 3.00      | 3.5             |
| JVA-RTAAD-S8-20-60-40-156-AB-FP  | 20'-0"                  | 8'-0"      | 4           | 6            | 0.156           | 108                    | 8.75 - 10.25              | 10.32 x 0.63         | 0.75 x 17.00 x 3.00      | 3.5             |
| JVA-RTAAD-S8-20-60-40-188-AB-FP  | 20'-0"                  | 8'-0"      | 4           | 6            | 0.188           | 116                    | 8.75 - 10.25              | 10.32 x 0.63         | 0.75 x 17.00 x 3.00      | 3.5             |
| JVA-RTAAD-S4-25-60-40-156-AB-FP  | 25'-0"                  | 4'-0"      | 4           | 6            | 0.156           | 113                    | 8.75 - 10.25              | 10.32 x 0.63         | 0.75 x 17.00 x 3.00      | 3.5             |
| JVA-RTAAD-S4-25-70-40-156-AB-FP  | 25'-0"                  | 4'-0"      | 4           | 7            | 0.156           | 141                    | 10.13 - 11                | 11.26 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S6-25-60-40-156-AB-FP  | 25'-0"                  | 6'-0"      | 4           | 6            | 0.156           | 118                    | 8.75 - 10.25              | 10.32 x 0.63         | 0.75 x 17.00 x 3.00      | 3.5             |
| JVA-RTAAD-S6-25-70-40-156-AB-FP  | 25'-0"                  | 6'-0"      | 4           | 7            | 0.156           | 145                    | 10.13 - 11                | 11.26 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S8-25-60-40-156-AB-FP  | 25'-0"                  | 8'-0"      | 4           | 6            | 0.156           | 122                    | 8.75 - 10.25              | 10.32 x 0.63         | 0.75 x 17.00 x 3.00      | 3.5             |
| JVA-RTAAD-S10-25-60-40-156-AB-FP | 25'-0"                  | 10'-0"     | 4           | 6            | 0.156           | 128                    | 8.75 - 10.25              | 10.32 x 0.63         | 0.75 x 17.00 x 3.00      | 3.5             |
| JVA-RTAAD-S10-25-70-40-156-AB-FP | 25'-0"                  | 10'-0"     | 4           | 7            | 0.156           | 155                    | 10.13 - 11                | 11.26 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S10-25-80-45-156-AB-FP | 25'-0"                  | 10'-0"     | 4.5         | 8            | 0.156           | 172                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S4-30-60-40-156-AB-FP  | 30'-0"                  | 4'-0"      | 4           | 6            | 0.156           | 128                    | 8.75 - 10.25              | 10.32 x 0.63         | 0.75 x 17.00 x 3.00      | 3.5             |
| JVA-RTAAD-S4-30-70-40-156-AB-FP  | 30'-0"                  | 4'-0"      | 4           | 7            | 0.156           | 157                    | 10.13 - 11                | 11.26 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S4-30-80-45-156-AB-FP  | 30'-0"                  | 4'-0"      | 4.5         | 8            | 0.156           | 167                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S6-30-60-40-156-AB-FP  | 30'-0"                  | 6'-0"      | 4           | 6            | 0.156           | 133                    | 8.75 - 10.25              | 10.32 x 0.63         | 0.75 x 17.00 x 3.00      | 3.5             |
| JVA-RTAAD-S6-30-70-40-156-AB-FP  | 30'-0"                  | 6'-0"      | 4           | 7            | 0.156           | 161                    | 10.13 - 11                | 11.26 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S6-30-80-45-156-AB-FP  | 30'-0"                  | 6'-0"      | 4.5         | 8            | 0.156           | 171                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S8-30-60-40-156-AB-FP  | 30'-0"                  | 8'-0"      | 4           | 6            | 0.156           | 137                    | 8.75 - 10.25              | 10.32 x 0.63         | 0.75 x 17.00 x 3.00      | 3.5             |
| JVA-RTAAD-S8-30-70-40-156-AB-FP  | 30'-0"                  | 8'-0"      | 4           | 7            | 0.156           | 166                    | 10.13 - 11                | 11.26 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S8-30-80-45-156-AB-FP  | 30'-0"                  | 8'-0"      | 4.5         | 8            | 0.156           | 180                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S8-30-80-45-188-AB-FP  | 30'-0"                  | 8'-0"      | 4.5         | 8            | 0.188           | 200                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S10-30-70-40-156-AB-FP | 30'-0"                  | 10'-0"     | 4           | 7            | 0.156           | 171                    | 10.13 - 11                | 11.26 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S10-30-80-45-156-AB-FP | 30'-0"                  | 10'-0"     | 4.5         | 8            | 0.156           | 186                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S10-30-80-45-188-AB-FP | 30'-0"                  | 10'-0"     | 4.5         | 8            | 0.188           | 206                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S4-35-70-40-156-AB-FP  | 35'-0"                  | 4'-0"      | 4           | 7            | 0.156           | 172                    | 10.13 - 11                | 11.26 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S4-35-80-45-156-AB-FP  | 35'-0"                  | 4'-0"      | 4.5         | 8            | 0.156           | 185                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S4-35-80-45-188-AB-FP  | 35'-0"                  | 4'-0"      | 4.5         | 8            | 0.188           | 215                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S4-35-80-45-250-AB-FP  | 35'-0"                  | 4'-0"      | 4.5         | 8            | 0.25            | 267                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S6-35-70-40-156-AB-FP  | 35'-0"                  | 6'-0"      | 4           | 7            | 0.156           | 176                    | 10.13 - 11                | 11.26 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S6-35-80-45-156-AB-FP  | 35'-0"                  | 6'-0"      | 4.5         | 8            | 0.156           | 189                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S6-35-80-45-188-AB-FP  | 35'-0"                  | 6'-0"      | 4.5         | 8            | 0.188           | 218                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S6-35-80-45-250-AB-FP  | 35'-0"                  | 6'-0"      | 4.5         | 8            | 0.25            | 271                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S8-35-70-40-156-AB-FP  | 35'-0"                  | 8'-0"      | 4           | 7            | 0.156           | 181                    | 10.13 - 11                | 11.26 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S8-35-80-45-156-AB-FP  | 35'-0"                  | 8'-0"      | 4.5         | 8            | 0.156           | 198                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S8-35-80-45-188-AB-FP  | 35'-0"                  | 8'-0"      | 4.5         | 8            | 0.188           | 228                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S8-35-80-45-250-AB-FP  | 35'-0"                  | 8'-0"      | 4.5         | 8            | 0.25            | 280                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S10-35-80-45-156-AB-FP | 35'-0"                  | 10'-0"     | 4.5         | 8            | 0.156           | 204                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S10-35-80-45-188-AB-FP | 35'-0"                  | 10'-0"     | 4.5         | 8            | 0.188           | 234                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S10-35-80-45-250-AB-FP | 35'-0"                  | 10'-0"     | 4.5         | 8            | 0.25            | 286                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S4-40-80-45-156-AB-FP  | 40'-0"                  | 4'-0"      | 4.5         | 8            | 0.156           | 207                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S4-40-80-45-188-AB-FP  | 40'-0"                  | 4'-0"      | 4.5         | 8            | 0.188           | 237                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S4-40-80-45-250-AB-FP  | 40'-0"                  | 4'-0"      | 4.5         | 8            | 0.25            | 298                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S6-40-80-45-188-AB-FP  | 40'-0"                  | 6'-0"      | 4.5         | 8            | 0.156           | 211                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S6-40-80-45-188-AB-FP  | 40'-0"                  | 6'-0"      | 4.5         | 8            | 0.188           | 240                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S6-40-80-45-250-AB-FP  | 40'-0"                  | 6'-0"      | 4.5         | 8            | 0.25            | 301                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S8-40-80-45-156-AB-FP  | 40'-0"                  | 8'-0"      | 4.5         | 8            | 0.156           | 220                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S8-40-80-45-188-AB-FP  | 40'-0"                  | 8'-0"      | 4.5         | 8            | 0.188           | 250                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S8-40-80-45-250-AB-FP  | 40'-0"                  | 8'-0"      | 4.5         | 8            | 0.25            | 311                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S8-40-10-60-188-AB-FP  | 40'-0"                  | 8'-0"      | 6           | 10           | 0.188           | 315                    | 13.63 - 15                | 13.19 x 1.25         | 1.00 x 36.00 x 4.00      | 4.75            |
| JVA-RTAAD-S10-40-80-45-156-AB-FP | 40'-0"                  | 10'-0"     | 4.5         | 8            | 0.156           | 226                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S10-40-80-45-188-AB-FP | 40'-0"                  | 10'-0"     | 4.5         | 8            | 0.188           | 256                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S10-40-80-45-250-AB-FP | 40'-0"                  | 10'-0"     | 4.5         | 8            | 0.25            | 317                    | 11.25 - 12                | 12.05 x 0.75         | 1.00 x 36.00 x 4.00      | 4.13            |
| JVA-RTAAD-S10-40-10-60-188-AB-FP | 40'-0"                  | 10'-0"     | 6           | 10           | 0.188           | 321                    | 13.63 - 15                | 13.19 x 1.25         | 1.00 x 36.00 x 4.00      | 4.75            |

1. The total combined EPA and weight of all fixtures, brackets, and other attachments mounting to a light pole cannot exceed the EPA and weight rating for a specified pole.
2. Custom products, configurations, options, and accessories available from factory.
3. Satisfactory performance of light poles is dependent upon the structure being properly attached to a supporting foundation of adequate design.

"+" indicates a vibration dampener is standard.




Miami, FL USA - info@jademar.com  
T: 305.640.0465 - F: 305.640.0468  
**WWW.JADEMAR.COM**



Information contained herein is subject to change without notice.

Revised 04/2025

Page 3 of 4



# JVA-RTAAD ROUND TAPERED ALUMINUM ANCHOR BASE W/ DAVIT ARM

## JVA-RTAAD ROUND TAPERED ALUMINUM ANCHOR BASE W/ DAVIT ARM ORDERING INFORMATION / Example: JVA-RTAAD-S4-20-40-60-40-156-AB-SBF-BK-BABAA

| JVA-RTAAD      | Arm Length                                                                                                                                                       | Length                                                                                    | Pole Base OD                                                                                              | Pole Top OD                                                                                        | Wall Thickness                                                                                                              | Anchor Bolts                                                                                                                        |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| Product Series | Arm Length                                                                                                                                                       | Length                                                                                    | Pole Base OD                                                                                              | Pole Top OD                                                                                        | Wall Thickness                                                                                                              | Anchor Bolts                                                                                                                        |
| JVA-RTAAD      | S4 4' Single Arm<br>S6 6' Single Arm<br>S8 8' Single Arm<br>S10 10' Single Arm<br>D4 4' Double Arm<br>D6 6' Double Arm<br>D8 8' Double Arm<br>D10 10' Double Arm | 20-40 20-40'<br>CC Custom (Special Order)*<br><br>* Replace the "CC" with a custom Length | 60 6"<br>70 7"<br>80 8"<br>10 1"<br>CC Custom (Special Order)*<br><br>* Replace the "CC" with a custom OD | 40 4"<br>45 4.5"<br>60 6"<br>CC Custom (Special Order)*<br><br>* Replace the "CC" with a custom OD | 156 0.156"<br>188 0.188"<br>250 0.250"<br>CC Custom (Special Order)*<br><br>* Replace the "CC" with a custom Wall Thickness | AB Include Anchor Bolts<br>LAB Less Anchor Bolts<br>CC Custom (Special Order)*<br><br>* Replace the "CC" with a custom Anchor Bolts |

| Finish Type                                                                                                                | Finish Color                                                                                                                                                                                                                                                                                                                                                                                                        | Other Options                                                                                                 |
|----------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| FP Finished Painted<br>SBF Satin Brushed<br>CC Custom (Special Order)*<br><br>* Replace the "CC" with a custom Finish Type | DB Dark Bronze (Standard)<br>MB Medium Bronze (Standard)<br>BK Black (Standard)<br>WH White (Standard)<br>LG Light Gray (Standard)<br>SG Slate Gray (Standard)<br>DG Dark Green (Standard)<br>SL Silver (Standard)<br>NA Natural Aluminum Paint (Standard)<br>SSA Satin Silver Anodized<br>BZA Bronze Anodized<br>BKA Black Anodized<br>CC Custom (Special Order)*<br><br>* Replace the "CC" with a custom RAL Code | Blank Not BAA/BABAA<br>BAA Buy American Act*<br>BABAA Build America, Buy America*<br><br>* Selected SKUs Only |

### OPTIONS

|       |                                                                             |
|-------|-----------------------------------------------------------------------------|
| SPL   | Special Cut Length (Please Specify)                                         |
| VDA   | Internal Vibration Dampener, Factory Installed                              |
| VDF   | Internal Vibration Dampener, Field Installable                              |
| SPC1  | Spun Base Collar for 4.0", 4.5", 5.0", 6.0", 7.0", 8.0", 10.0" OD Pole      |
| SPC2  | Spun Base Collar for 12" OD Pole                                            |
| PXDX  | Side Drill + Tenon w/ Additional Hand Hole (Specify Tenon OD & Length)      |
| HHU   | Additional Unreinforced Hand Hole Opening w/ Cover Assembly                 |
| HHR   | Additional Reinforced Hand Hole Opening w/ Cover Assembly                   |
| ULHH  | UL Compliant Hand Hole                                                      |
| NECHH | NEC 410.30 Compliant Hand Hole & Cover                                      |
| FST   | Festoon Provision, Electrical by Others (Specify Pole Height & Orientation) |
| CPL   | NPT Pipe Coupling (Specify Pole Height, Orientation, & NPT Size)            |

### ACCESSORIES

|         |                                                |
|---------|------------------------------------------------|
| STAMP   | Engineering Services, Signed & Sealed Calcs    |
| STAMPCA | Engineering Services, CA Signed & Sealed Calcs |
| PRE075  | Pre-Ship Anchor Bolts - 0.75" x 17" x 3"       |
| PRE100  | Pre-Ship Anchor Bolts - 1.0" x 36" x 4"        |



Miami, FL USA - info@jademar.com  
T: 305.640.0465 - F: 305.640.0468  
**WWW.JADEMAR.COM**



Information contained herein is subject to change without notice.

Revised 04/2025

Page 4 of 4